

---

# **Django SubCommand Documentation**

***Release 0.3.2***

**Tatsuo Ikeda**

May 18, 2016



<b>1</b>	<b>Usage</b>	<b>3</b>
1.1	startsubcommand . . . . .	3
1.2	generate (optional) . . . . .	3
1.3	destroy (optional) . . . . .	3
<b>2</b>	<b>Base Command</b>	<b>5</b>
<b>3</b>	<b>Generate Command</b>	<b>7</b>
<b>4</b>	<b>Template Methods</b>	<b>9</b>
4.1	pluralize . . . . .	9
4.2	camelize . . . . .	9
4.3	dasherize . . . . .	9
4.4	humanize . . . . .	9
4.5	ordinal . . . . .	10
4.6	ordinalize . . . . .	10
4.7	parameterize . . . . .	10
4.8	singularize . . . . .	10
4.9	transliterate . . . . .	10
4.10	underscore . . . . .	10
<b>5</b>	<b>History</b>	<b>13</b>
5.1	0.3.2 (2012-07-17) . . . . .	13
5.2	0.0.2 (2012-06-17) . . . . .	13
5.3	0.0.1 (2012-06-16) . . . . .	13
<b>6</b>	<b>Indices and tables</b>	<b>15</b>



Create Sub Command :



---

## Usage

---

### 1.1 startsubcommand

```
$ python manage.py startsubcommand APP_NAME SUB_COMMAND_NAME
```

### 1.2 generate (optional)

```
$ python manage.py generate -h
```

### 1.3 destroy (optional)

```
$ python manage.py destroy -h
```

Customize Command :





---

**Base Command**

---



---

## Generate Command

---

Template Methods :



---

## Template Methods

---

### 4.1 pluralize

```
<div>
  <span>
    {{ variable.pluralize }}
  </span>
</div>
```

### 4.2 camelize

```
<div>
  <span>
    {{ variable.camelize }}
  </span>
</div>
```

### 4.3 dasherize

```
<div>
  <span>
    {{ variable.dasherize }}
  </span>
</div>
```

### 4.4 humanize

```
<div>
  <span>
    {{ variable.humanize }}
  </span>
</div>
```

## 4.5 ordinal

```
<div>
  <span>
    {{ variable.ordinal }}
  </span>
</div>
```

## 4.6 ordinalize

```
<div>
  <span>
    {{ variable.ordinalize }}
  </span>
</div>
```

## 4.7 parameterize

```
<div>
  <span>
    {{ variable.parameterize }}
  </span>
</div>
```

## 4.8 singularize

```
<div>
  <span>
    {{ variable.singularize }}
  </span>
</div>
```

## 4.9 transliterate

```
<div>
  <span>
    {{ variable.transliterate }}
  </span>
</div>
```

## 4.10 underscore

```
<div>
  <span>
    {{ variable.underscore }}
  </span>
</div>
```

```
</span>  
</div>
```

Change History :





---

## History

---

### 5.1 0.3.2 (2012-07-17)

- Fixed issue #1 - unittest.
- Fixed issue #2 - startsubcommand.
- Fixed issue #4 - setup module.

### 5.2 0.0.2 (2012-06-17)

- Remove the django\_compressor package.

### 5.3 0.0.1 (2012-06-16)

- Alpha



---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`